Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2380	("RFID" and (reformat$4 or conver$5 or translat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:05
L2	160	"RFID" same (reformat$4 or conver$5 or translat$3) same (creat$3 or generat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:10
L3	2	2 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:05
L4	63	2 and "340"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:07
L5	0	((creat$3 or generat$3) near2 file$1) same ((reformat$4 or conver$5) with "RFID")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:12
L6	0	((creat$3 or generat$3) near2 file$1) same (reformat$4 or conver$5) same "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:12
L7	5067	((creat$3 or generat$3) near2 file$1) same (reformat$4 or conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:15
L8	4	7 and "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:12
L9	15	[3593291|5920053|6819222].pn. and ((creat$3 or generat$3) near2 file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:26
L10	93894	((creat$3 or generat$3) with file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:27

L11	34	((creat$3 or generat$3) with file$1) same "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 15:36
L12	10	((creat$3 or generat$3) near2 file$1) same "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 16:36
L13	5	(((creat$3 or generat$3) near2 file$1) same (translat$3 or transform$4 or conver$5)) and "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 16:57
L14	1	(((creat$3 or generat$3) near2 file$1) with (translat$3 or transform$4 or conver$5)) and "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 16:36
L15	6673	(((creat$3 or generat$3) near2 file$1) same (translat$3 or transform$4 or conver$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:08
L16	810	15 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:07
L17	111	15 and "707"/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:05
L18	0	15 and "RFID" and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:05
L19	5	15 and "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:07
L20	234	15 and tag$1 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:07

L21	29	15 and tag$1 and "707"/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:15
L22	221	((creat$3 or generat$3) near2 file$1) same (translat$3 or transform$4 or conver$5) same tag$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:37
L23	42	22 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:08
L24	10	((creat$3 or generat$3) near2 file$1) same "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:13
L25	10	(((creat$3 or generat$3) near2 file$1) same "RFID")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:13
L26	47496	((creat$3 or generat$3) near2 file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:14
L27	10	((creat$3 or generat$3) near2 file$1) same "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:14
L28	1357	15 and tag$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:15
L29	10	((creat$3 or generat$3) near2 file$1) same "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:19
L30	5641	((creat$3 or generat$3) near2 file$1) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:22

L31	2028	(((creat$3 or generat$3) near2 file$1) with (reformat$4 or conver$3 or translat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:23
L32	249	31 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:23
L33	1	(((creat$3 or generat$3) near2 file$1) with (reformat$4 or conver$3 or translat$3)) and "RFID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:23
L34	2028	(((creat$3 or generat$3) near2 file$1) with (reformat$4 or conver$3 or translat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:28
L35	1	24 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:24
L36	249	34 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:24
L37	26	34 and "707"/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:24
L38	1728	((creat$3 or generat$3) near2 file$1) same ((reformat$4 or conver$3 or translat$3) near2 file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:28
L39	238	38 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:29
L40	33	38 and "707"/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:29